



24 November 2014  
C/O: Intertek Testing Services Shanghai Ltd  
Building No.86,  
1198 Qingzhou Road (North),  
Shanghai 200233,  
P. R. China

Dear Sir / Madam,

#### **APPROVAL OF PRESCRIBED EQUIPMENT**

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email [ben.taylor@justice.qld.gov.au](mailto:ben.taylor@justice.qld.gov.au)

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully

A handwritten signature in blue ink, appearing to read "B Taylor".

**DIRECTOR OF EQUIPMENT SAFETY**

Ref: ESO130530/01

Certificate Number: ESO130530/01



# Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

**Registered Declarant:**

People's Republic of

**Required Marking: ESO130530**

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

## ARTICLE DETAILS

|                         |                                                            |
|-------------------------|------------------------------------------------------------|
| Electrical Equipment:   | Prescribed<br>Supply Flexible Cord<br>Supply Flexible Cord |
| Relevant Standards:     | AS/NZS3191:2008                                            |
| Expiry Date:            | 04 November 2018                                           |
| Conditions of Approval: | Alternative certification mark Q080451                     |

A handwritten signature in blue ink, appearing to be "B. R. H.", written over a horizontal line.

Certificate Number: ESO130530/01



## Approval details

|            |                                                 |
|------------|-------------------------------------------------|
| Model      | 227 IEC 52 (H03VVH2-F)<br>2×0.75mm <sup>2</sup> |
| Rated at   | Input: 250/250V,                                |
| Trade Name | DOSS                                            |
| Comments   |                                                 |

|            |                                             |
|------------|---------------------------------------------|
| Model      | 227 IEC 52 (H03VVH2-F) 2×0.5mm <sup>2</sup> |
| Rated at   | Input: 250/250V,                            |
| Trade Name | DOSS                                        |
| Comments   |                                             |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 52 (H03VV-F) 2×0.5mm <sup>2</sup> |
| Rated at   | Input: 250/250V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|            |                                            |
|------------|--------------------------------------------|
| Model      | 227 IEC 52 (H03VV-F) 2×0.75mm <sup>2</sup> |
| Rated at   | Input: 250/250V,                           |
| Trade Name | DOSS                                       |
| Comments   |                                            |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 52 (H03VV-F) 3×0.5mm <sup>2</sup> |
| Rated at   | Input: 250/250V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|            |                                            |
|------------|--------------------------------------------|
| Model      | 227 IEC 52 (H03VV-F) 3×0.75mm <sup>2</sup> |
| Rated at   | Input: 250/250V,                           |
| Trade Name | DOSS                                       |
| Comments   |                                            |

A handwritten signature in blue ink, appearing to be "B. R. H.", located at the bottom right of the page.

Certificate Number: ESO130530/01



|            |                                                 |
|------------|-------------------------------------------------|
| Model      | 227 IEC 53 (H05VVH2-F)<br>2×0.75mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                                |
| Trade Name | DOSS                                            |
| Comments   |                                                 |

|            |                                             |
|------------|---------------------------------------------|
| Model      | 227 IEC 53 (H05VVH2-F) 2×1.0mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                            |
| Trade Name | DOSS                                        |
| Comments   |                                             |

|            |                                            |
|------------|--------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 2×0.75mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                           |
| Trade Name | DOSS                                       |
| Comments   |                                            |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 2×1.0mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 2×1.5mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 2×2.5mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|          |                                            |
|----------|--------------------------------------------|
| Model    | 227 IEC 53 (H05VV-F) 3×0.75mm <sup>2</sup> |
| Rated at | Input: 250/440V,                           |

A handwritten signature in blue ink, appearing to be 'B. R. H.', located below the signature line.

Certificate Number: ESO130530/01



|            |      |
|------------|------|
| Trade Name | DOSS |
| Comments   |      |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 3×1.0mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 3×1.5mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

|            |                                           |
|------------|-------------------------------------------|
| Model      | 227 IEC 53 (H05VV-F) 3×2.5mm <sup>2</sup> |
| Rated at   | Input: 250/440V,                          |
| Trade Name | DOSS                                      |
| Comments   |                                           |

A handwritten signature in blue ink, appearing to be "B. R. H.", located at the bottom right of the page.

09 March 2015  
C/O: Intertek Testing Services Shanghai Ltd  
Building No.86,  
1198 Qingzhou Road (North),  
Shanghai 200233,  
P. R. China

**RADIO PARTS GROUP**

Teresa Zheng  
Dear Sir / Madam,

**APPROVAL OF PRESCRIBED EQUIPMENT**

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Pravin Venkatesan on telephone ,or email [pravin.venkatesan@justice.qld.gov.au](mailto:pravin.venkatesan@justice.qld.gov.au)

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



**DIRECTOR OF EQUIPMENT SAFETY**

Ref: ESO150152/00

Certificate Number: ESO150152/00



# Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

**Registered Declarant:** RADIO PARTS GROUP  
562 SPENCER STREET, WEST MELBOURNE, VIC3003

## Required Marking: ESO150152

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

### ARTICLE DETAILS

|                         |                                                |
|-------------------------|------------------------------------------------|
| Electrical Equipment:   | Prescribed<br>Plug<br>Non-Rewirable 3-Pin Plug |
| Relevant Standards:     | AS/NZS3112:2011 including amendments 1 and 2.  |
| Expiry Date:            | 09 March 2020                                  |
| Conditions of Approval: |                                                |

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light grey rectangular background.

Certificate Number: ESO150152/00



## Approval details

|            |                                                                                                                                                                                                                   |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model      | DS-310                                                                                                                                                                                                            |
| Rated at   | Input: 250Vac, 3A                                                                                                                                                                                                 |
| Trade Name | DOSS                                                                                                                                                                                                              |
| Comments   | Moulded to supply flexible cords H03VV-F 3G0.5-0.75 mm <sup>2</sup> , H05VV-F 3G0.75 mm <sup>2</sup> (Q080451 or ESO130530); H03V2V2-F 3G0.5-0.75 mm <sup>2</sup> , H05V2V2-F 3G0.75 mm <sup>2</sup> (ESO120526). |

|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model      | DS-310                                                                                                                                                                                                                    |
| Rated at   | Input: 250Vac, 7.5A                                                                                                                                                                                                       |
| Trade Name | DOSS                                                                                                                                                                                                                      |
| Comments   | Moulded to supply flexible cords H03VV-F 3G0.5-0.75 mm <sup>2</sup> , H05VV-F 3G0.75-1.0 mm <sup>2</sup> (Q080451 or ESO130530); H03V2V2-F 3G0.5-0.75 mm <sup>2</sup> , H05V2V2-F 3G0.75-1.0 mm <sup>2</sup> (ESO120526). |

|            |                                                                                                                                                                                                               |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model      | DS-310                                                                                                                                                                                                        |
| Rated at   | Input: 250Vac, 10A                                                                                                                                                                                            |
| Trade Name | DOSS                                                                                                                                                                                                          |
| Comments   | Moulded to supply flexible cords H03VV-F 3G0.75mm <sup>2</sup> , H05VV-F 3G0.75-2.5mm <sup>2</sup> (Q080451 or ESO130530), H03V2V2-F 3G0.75mm <sup>2</sup> , H05V2V2-F 3G0.75-2.5mm <sup>2</sup> (ESO120526). |

|            |                                     |
|------------|-------------------------------------|
| Model      | DS-310R                             |
| Rated at   | Input: 250Vac, 3A                   |
| Trade Name | DOSS                                |
| Comments   | Moulded to supply cords H03VV-F 3 x |

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light grey rectangular background.



Certificate Number: ESO150152/00



|  |                                                                                                                                                                     |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  | 0.75mm <sup>2</sup> ; H05VV-F 3 x 0.75 mm <sup>2</sup> (Q080451 or ESO130530); H03V2V2-F 3 x 0.75 mm <sup>2</sup> , H05V2V2-F 3 x 0.75 mm <sup>2</sup> (ESO120526). |
|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|

|            |                                                                                                                                                                                                                  |
|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model      | DS-310R                                                                                                                                                                                                          |
| Rated at   | Input: 250Vac, 7.5A                                                                                                                                                                                              |
| Trade Name | DOSS                                                                                                                                                                                                             |
| Comments   | Moulded to supply cords H03VV-F 3 x 0.75 mm <sup>2</sup> ; H05VV-F 3 x 0.75-1.0 mm <sup>2</sup> (Q080451 or ESO130530); H03V2V2-F 3 x 0.75 mm <sup>2</sup> , H05V2V2-F 3 x 0.75-1.0 mm <sup>2</sup> (ESO120526). |

|            |                                                                                                                                                                                                                           |
|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Model      | DS-310R                                                                                                                                                                                                                   |
| Rated at   | Input: 250Vac, 10A                                                                                                                                                                                                        |
| Trade Name | DOSS                                                                                                                                                                                                                      |
| Comments   | Moulded to supply flexible cords H03VV-F 3 x 0.75 mm <sup>2</sup> , H05VV-F 3 x 0.75-2.5 mm <sup>2</sup> (Q080451 or ESO130530); H03V2V2-F 3 x 0.75 mm <sup>2</sup> , H05V2V2-F 3 x 0.75-2.5 mm <sup>2</sup> (ESO120526). |

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light grey rectangular background.

09 March 2015  
C/O: Intertek Testing Services Shanghai Ltd  
Building No.86,  
1198 Qingzhou Road (North),  
Shanghai 200233,  
P. R. China

**RADIO PARTS GROUP**

Teresa Zheng  
Dear Sir / Madam,

**APPROVAL OF PRESCRIBED EQUIPMENT**

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email [ben.taylor@justice.qld.gov.au](mailto:ben.taylor@justice.qld.gov.au)

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



**DIRECTOR OF EQUIPMENT SAFETY**

Ref: ESO150154/00

Certificate Number: ESO150154/00



# Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

**Registered Declarant:** RADIO PARTS GROUP  
562 SPENCER STREET, WEST MELBOURNE, VIC3003

## Required Marking: ESO150154

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

### ARTICLE DETAILS

|                         |                                                              |
|-------------------------|--------------------------------------------------------------|
| Electrical Equipment:   | Prescribed<br>Cord Extension Socket<br>Cord Extension Socket |
| Relevant Standards:     | AS/NZS3120:2011+A1:2012                                      |
| Expiry Date:            | 09 March 2020                                                |
| Conditions of Approval: |                                                              |

A handwritten signature in black ink, appearing to read "B. R. H.", written over a light grey rectangular background.

Certificate Number: ESO150154/00



## Approval details

|            |                                                                                   |
|------------|-----------------------------------------------------------------------------------|
| Model      | DS-310S                                                                           |
| Rated at   | Input: 250V, 10A                                                                  |
| Trade Name | DOSS                                                                              |
| Comments   | with Flexible cord H03VV-F 3G0.75 mm <sup>2</sup> -2.5 mm <sup>2</sup> (Q080451). |

A handwritten signature in black ink, appearing to be "B. R. H.", written on a light-colored rectangular background.