

09 March 2015
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

RADIO PARTS GROUP

Teresa Zheng
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email ben.taylor@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO150156/00

Certificate Number: ESO150156/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: RADIO PARTS GROUP
562 SPENCER STREET, WEST MELBOURNE, VIC3003

Required Marking: ESO150156

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Appliance Connector Appliance Connector
Relevant Standards:	AS/NZS60320.1: 2012
Expiry Date:	09 March 2020
Conditions of Approval:	

A handwritten signature in black ink, appearing to read "B. R. H.", written over a light grey rectangular background.

Certificate Number: ESO150156/00



Approval details

--

Model	DS-C13
Rated at	Input: 250V~, 10A
Trade Name	DOSS
Comments	Sheet C13, moulded to Supply Flexible Cable H05VV-F 3G0.75-1.0mm ² (Q080451 or ESO130530).

Model	DS-C13R
Rated at	Input: 250V~, 10A
Trade Name	DOSS
Comments	Sheet C13, moulded to Supply Flexible Cable H05VV-F 3G0.75-1.0mm ² (Q080451 or ESO130530), with lateral cord entry.

Model	DS-C7
Rated at	Input: 250V~, 2.5A
Trade Name	DOSS
Comments	Sheet C7, moulded to Supply Flexible Cable H03VVH2-F 2x0.5-0.75mm ² , H05VVH2-F 2x0.75mm ² (Q080451).

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light grey rectangular background.

03 March 2015
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

RADIO PARTS GROUP

Teresa Zheng
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Pravin Venkatesan on telephone ,or email pravin.venkatesan@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully



DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO150143/00

Certificate Number: ESO150143/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: RADIO PARTS GROUP
562 SPENCER STREET, WEST MELBOURNE, VIC3003

Required Marking: ESO150143

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Appliance Connector Moulded Appliance Connector (C14 Type)
Relevant Standards:	AS/NZS60320.2.2: 2004.
Expiry Date:	03 March 2020
Conditions of Approval:	

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light grey rectangular background.

Certificate Number: ESO150143/00



Approval details

Model	DS-C14
Rated at	Input: 250Vac, 10A
Trade Name	DOSS
Comments	Class I moulded to cords: H05VV-F 3G0.75mm ² -3G1.0mm ² (ESO130530).

A handwritten signature in black ink, appearing to read "B. R. H.", on a light-colored background.



24 November 2014
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email ben.taylor@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully

A handwritten signature in blue ink, appearing to read "B Taylor".

DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO130530/01

Certificate Number: ESO130530/01



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant:

People's Republic of

Required Marking: ESO130530

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Supply Flexible Cord Supply Flexible Cord
Relevant Standards:	AS/NZS3191:2008
Expiry Date:	04 November 2018
Conditions of Approval:	Alternative certification mark Q080451

A handwritten signature in blue ink, appearing to be "B. R. H.", written over a horizontal line.

Certificate Number: ESO130530/01



Approval details

Model	227 IEC 52 (H03VVH2-F) 2×0.75mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VVH2-F) 2×0.5mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 2×0.5mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 2×0.75mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 3×0.5mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 3×0.75mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

A handwritten signature in blue ink, appearing to be "B. R. H.", located below the signature line.

Certificate Number: ESO130530/01



Model	227 IEC 53 (H05VVH2-F) 2×0.75mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VVH2-F) 2×1.0mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×0.75mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×1.0mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×1.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×2.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×0.75mm ²
Rated at	Input: 250/440V,

A handwritten signature in blue ink, appearing to be 'B. R. H.', located below the signature line.

Certificate Number: ESO130530/01



Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×1.0mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×1.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×2.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

A handwritten signature in blue ink, appearing to be "B. R. H.", located at the bottom right of the page.



24 November 2014
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email ben.taylor@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully

A handwritten signature in black ink, appearing to read "Ben Taylor".

DIRECTOR OF EQUIPMENT SAFETY

Ref ESO130530/01

Certificate Number: ESO130530/01



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant:

People's Republic of

Required Marking: ESO130530

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Supply Flexible Cord Supply Flexible Cord
Relevant Standards:	AS/NZS3191:2008
Expiry Date:	04 November 2018
Conditions of Approval:	Alternative certification mark Q080451

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light blue horizontal line.

Certificate Number: ESO130530/01



Approval details

Model	227 IEC 52 (H03VVH2-F) 2×0.75mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VVH2-F) 2×0.5mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 2×0.5mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 2×0.75mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 3×0.5mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

Model	227 IEC 52 (H03VV-F) 3×0.75mm ²
Rated at	Input: 250/250V,
Trade Name	DOSS
Comments	

A handwritten signature in black ink, appearing to be "B. R. H.", written in a cursive style.

Certificate Number: ESO130530/01



Model	227 IEC 53 (H05VVH2-F) 2×0.75mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VVH2-F) 2×1.0mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×0.75mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×1.0mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×1.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 2×2.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×0.75mm ²
Rated at	Input: 250/440V,

A handwritten signature in black ink, appearing to be "B. R. H.", written in a cursive style.

Certificate Number: ESO130530/01



Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×1.0mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×1.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

Model	227 IEC 53 (H05VV-F) 3×2.5mm ²
Rated at	Input: 250/440V,
Trade Name	DOSS
Comments	

A handwritten signature in black ink, appearing to be "B. R. H.", written in a cursive style.



09 March 2015
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

RADIO PARTS GROUP

Teresa Zheng
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Ben Taylor on telephone ,or email ben.taylor@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully

A handwritten signature in black ink, appearing to read "B Taylor".

DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO150156/00

Certificate Number: ESO150156/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: RADIO PARTS GROUP
562 SPENCER STREET, WEST MELBOURNE, VIC3003

Required Marking: ESO150156

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Appliance Connector Appliance Connector
Relevant Standards:	AS/NZS60320.1: 2012
Expiry Date:	09 March 2020
Conditions of Approval:	

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light blue background.

Certificate Number: ESO150156/00



Approval details

--

Model	DS-C13
Rated at	Input: 250V~, 10A
Trade Name	DOSS
Comments	Sheet C13, moulded to Supply Flexible Cable H05VV-F 3G0.75-1.0mm ² (Q080451 or ESO130530).

Model	DS-C13R
Rated at	Input: 250V~, 10A
Trade Name	DOSS
Comments	Sheet C13, moulded to Supply Flexible Cable H05VV-F 3G0.75-1.0mm ² (Q080451 or ESO130530), with lateral cord entry.

Model	DS-C7
Rated at	Input: 250V~, 2.5A
Trade Name	DOSS
Comments	Sheet C7, moulded to Supply Flexible Cable H03VVH2-F 2x0.5-0.75mm ² , H05VVH2-F 2x0.75mm ² (Q080451).

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light blue rectangular background.



03 March 2015
C/O: Intertek Testing Services Shanghai Ltd
Building No.86,
1198 Qingzhou Road (North),
Shanghai 200233,
P. R. China

RADIO PARTS GROUP

Teresa Zheng
Dear Sir / Madam,

APPROVAL OF PRESCRIBED EQUIPMENT

Enclosed is the Certificate(s) in respect to your recent application received by Queensland Government (ESO).

Please take time to check the certificate to ensure that all details are correct in accordance with your application, and that you understand all of the conditions imposed on the approval.

Should you have any queries, please contact Pravin Venkatesan on telephone ,or email pravin.venkatesan@justice.qld.gov.au

Any samples that accompanied your application are available for collection, and if not collected within 20 business days of the date hereon may be disposed of.

Notification must be given to Queensland Government (ESO) of any change of registered Address within 20 business days.

Yours faithfully

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light blue horizontal line.

DIRECTOR OF EQUIPMENT SAFETY

Ref: ESO150143/00

Certificate Number: ESO150143/00



Certificate of Approval

This is to certify that the Director of Equipment Safety has approved the electrical equipment described hereunder.

Registered Declarant: RADIO PARTS GROUP
562 SPENCER STREET, WEST MELBOURNE, VIC3003

Required Marking: ESO150143

Electrical equipment covered by this approval must comply in all respects with the approved article, and prior to being supplied or offered for supply, must be clearly and indelibly marked with the required marking indicated above, or the Regulatory Compliance Mark (RCM) provided that the requirements of all relevant parts of AS/NZS 4417 applicable to the article are fulfilled.

Any modifications to the electrical equipment or its place of manufacture must be approved by Queensland Government (ESO) prior to the equipment being supplied or offered for supply.

Notification must be given to Queensland Government (ESO) of any change to the name or address of the holder of the certificate within 20 business days.

ARTICLE DETAILS

Electrical Equipment:	Prescribed Appliance Connector Moulded Appliance Connector (C14 Type)
Relevant Standards:	AS/NZS60320.2.2: 2004.
Expiry Date:	03 March 2020
Conditions of Approval:	

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light blue background.

Certificate Number: ESO150143/00



Approval details

Model	DS-C14
Rated at	Input: 250Vac, 10A
Trade Name	DOSS
Comments	Class I moulded to cords: H05VV-F 3G0.75mm ² -3G1.0mm ² (ESO130530).

A handwritten signature in black ink, appearing to be "B. R. H.", written over a light grey rectangular background.